

TATA INTERNATIONAL



 **TAGRA**<sup>®</sup>

# About Tagra

Tagra manufactures performance footwear for the work, safety and military, security sectors. Our entire range is dedicated to the hard work and perseverance of those who risk their lives every day at work.

---

## Quality First

- Using only the best compounds and chemicals
- Leading-edge Desma technology for assembly
- 45+ diverse quality checks
- A sustainable production process
- Customizations for maximum performance and protection



# BOOST LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

Size Ranges 06 to 12

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# BOOST LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# MOLTEN LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# MOLTEN LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable Spacer laminated with 5mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon 90cm

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ENGINE LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining  
laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ENGINE LO BC

## SPECIFICATIONS

- Toe - ISI Composite Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining  
laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Composite Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear



# ENGINE LO H

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Haircell Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ENGINE LO HC

## SPECIFICATIONS

- Toe – ISI Composite Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Haircell Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining  
laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Composite Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# TIMBER MID B

## SPECIFICATIONS

- Toe-ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Low Ankle

### Upper

Black Buff Haircell Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining  
laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# DELIGHT LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Slip On

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar

### Thread

Nylon, Variety H1 & L2

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Antistatic Footwear

# COMFORT LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Slip On

### Upper

White Micro Fibre

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Antistatic Footwear

# FORT LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Derby

### Upper

Black Cow CG Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile mesh lining

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# CHASER LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# SAVIOUR LO B

## SPECIFICATIONS

- Toe - ISI Composite Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Temperature Resistant - Soles that perform in Adverse Conditions
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density PU sole with DIP Process + Outsole Rubber

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Composite Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Antistatic Footwear



# FOUNDER LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable Spacer laminated with 5mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon 90cm

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# ZINDER LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable Spacer laminated with 5mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon 90cm

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ACE LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable Spacer laminated with 5mm PU foam

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon 90cm

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ACTIVE LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 5mm PU foam

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Antistatic Footwear

# ATHELETE LO

## SPECIFICATIONS

- Toe - ISI Composite Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Black Buff Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 5mm PU foam

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Composite Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Antistatic Footwear

# CHAMPION LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Grey Buff Nubuck Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable Mesh Textile Lining

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# THERMO LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Brown Buff Crazy Horse Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable Mesh Textile Lining

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density  
With DIP process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# PERFECT LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Grey Buff Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear



# INTENSE LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Grey Buff Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Double Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# POWER LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Red Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable Spacer Laminated with 5mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Socks lined with Fabric  
Thickness 3mm

### Lace

Flat Nylon 90cm

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable
- Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# RUN LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### **Design**

Low Ankle

### **Upper**

Black Buff Barton Leather

### **Sizes**

6 - 12 UK Size fitting

### **Vamp Lining**

Non Woven White

### **Quarter & Tongue Lining**

Breathable textile mesh laminated with 3mm PU foam

### **Tongue & Collar**

PU Foam Padded

### **Thread**

Nylon

### **Eyelet/ D-ring**

D' Ring

### **Sole**

Single Density PU sole with DIP Process

### **Insole**

Non Woven Strobel Insole, Thickness 2.0mm (min)

### **Toe Cap Property**

200J Impact Resistant Steel Toe Cap

### **Insocks**

Textile mesh with 3 EVA foam

### **Lace**

Round Nylon

### **Packing**

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### **Warranty**

1 Year from the month of manufacturing on Sole Cut

### **Marking**

ISI Marked as per IS:15298 (Part 2):2016

### **Salient Features**

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# PREMIUM LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Grey Buff Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

D' Ring

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# ALTIS LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Grey FlyKnit

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# RIDER LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Cow Suede with Air Mesh

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# WIND LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Grey FlyKnit

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

# MIRACLE LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Low Ankle

### Upper

Blue Buff Suede Leather

### Sizes

02 - 08 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable Mesh Textile Lining

### Tongue & Collar

PU Foam Padded  
Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

Textile mesh with 3  
EVA foam

### Lace

Flat Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing  
on Sole Bonding & Cracking

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear



# MIAMI LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

02 - 08 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

3 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Moulded Socks lined with Fabric Thickness 7mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable

Leather Upper

Cushioned Inner lining & padded collar

Slip and Abrasion resistant Outsole

Heat Resistant to upto 120°C

Antistatic Footwear

# DYNA LO A

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Dual Density - Lighter weight and more wear Comfort



### Design

Slip On

### Upper

Black Buff Apollo Leather

### Sizes

02 - 08 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Sole

Double Density  
PU sole with DIP Process

### Insole

Non Woven Strobel Insole,  
Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant  
Steel Toe Cap

### Insocks

EVA Moulded Socks lined  
with Fabric Thickness 7mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual  
Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month  
of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable  
Leather Upper  
Cushioned Inner  
lining & padded collar  
Slip and Abrasion  
resistant Outsole  
Heat Resistant to  
upto 120°C  
Antistatic Footwear

# JUPITER MID B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Temperature Resistant - Soles that perform in Adverse Conditions
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Mid Ankle

### Upper

Black Buff Barton Leather

### Sizes

02 - 08 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon

### Eyelet/ D-ring

D' Ring

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

EVA Moulded Socks lined with Fabric Thickness 7mm

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# TRIGOR LO AC

## SPECIFICATIONS

- Toe - ISI Composite Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Felt Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 5mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Plastic Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Composite Toe Cap

### Insocks

EVA Moulded Socks lined with Fabric Thickness 3mm

### Lace

Round Nylon 90cm

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly breathable Leather Upper  
Cushioned Inner lining & padded collar  
Slip and Abrasion resistant Outsole  
Heat Resistant to upto 120°C  
Metal Free Shoe

# BOOSTER LO B

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

4 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

- Highly breathable Leather Upper
- Cushioned Inner lining & padded collar
- Slip and Abrasion resistant Outsole
- Heat Resistant to upto 120°C
- Antistatic Footwear

# MEADOW LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Brown Cow Suede Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# STAMPS LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# OCEAN LO

## SPECIFICATIONS

- Toe - ISI Steel Toe
- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance



### Design

Low Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven White

### Quarter & Tongue Lining

Breathable textile mesh laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

5 Set of Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Toe Cap Property

200J Impact Resistant Steel Toe Cap

### Insocks

Textile mesh with 3 EVA foam

### Lace

Round Nylon

### Packing

Each Pair packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C



# VALOUR HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon

### Eyelet/ D-ring

Round Eyelets / D-Ring

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# VICTORY HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Temperature Resistant - Soles that perform in Adverse Conditions
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Black Buff Apollo Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

Round Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# PERSIST HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Green Canvas Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

Round Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# TRIUMPH HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

Round Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# ENDURE HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Black Buff Barton Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

Round Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

# CAMO HI

## SPECIFICATIONS

- Wide Fitting - Extra Comfort
- Slip Resistant - Anti-Slip Soles
- Anti-Static - Prevents the build-up of Static Electricity
- Breathable Lining - Foot-friendly materials for Breathability
- Oil Resistant - Soles that offer high Oil Resistance
- Ankle Support - Support and protection through Hazardous Conditions



### Design

Hi Ankle

### Upper

Military Green Textile Leather

### Sizes

6 - 12 UK Size fitting

### Vamp Lining

Non Woven Grey Lining

### Quarter & Tongue Lining

Breathable textile lining laminated with 3mm PU foam

### Tongue & Collar

PU Foam Padded Collar & Tongue

### Thread

Nylon, Variety H1 & L2

### Eyelet/ D-ring

Round Eyelets

### Sole

Single Density PU sole with DIP Process

### Insole

Non Woven Strobel Insole, Thickness 2.0mm (min)

### Insocks

EVA Socks lined with Fabric Thickness 3mm (min)

### Lace

Round Nylon

### Packing

Each Pair Packed Individual Shoe Box & 10 pairs in One Carton

### Warranty

1 Year from the month of manufacturing on Sole Cut

### Marking

ISI Marked as per IS:15298 (Part 2):2016

### Salient Features

Highly Breathable Leather Upper

Cushioned Inner Lining & Padded Collar

Slip and Abrasion Resistant Outsole

Heat Resistant to upto 120°C

## Properties



Protective Toe-Cap



Anti Static



Temperature Resistant



Oil Resistant



Slip Resistance



Protective Midsole



Non - Metallic



Ankle Support

## Application

- Automobile
- Construction
- Chemical
- Steel
- Shipping
- Mining
- Pharma
- Military
- Security Force

There are different types of safety shoes for different industrial applications

---

Safety shoe must be chosen judiciously based on nature of industry and potential hazards

---

You can not play cricket with football shoes and vice versa, like wise for safety shoes

---

Many Companies go for one common safety shoe for all which is not correct from Safety as well as Cost angle



## SAFETY SHOES AVAILABLE WITH

- LOW ANKLE / MID ANKLE / HI ANKLE
- STEEL TOE
- COMPOSITE TOE
- ANTISTATIC
- ESD
- MIDSOLE PLATE
- PU / NBR
- IS 15298 PART II
- EN 20345 : 2016
- S1 / S2 / S1P



Mail ID : [info.tagra@tatainternational.com](mailto:info.tagra@tatainternational.com)

Contact Number : +91 73586 01901 / 73586 01902

[www.tagra.in](http://www.tagra.in)

